

pasquali tractors

☒ VIA NUOVA, 30 - CALENZANO (FIRENZE) ☎ 88 75 44 🚚 PAMA CALENZANO

*Handy, sturdy, economic.
It's a "pasquali" machine.*



TRACTORS FROM 18 TO 30 HP.

NEW!

Importer and Distributor:

MOTORCOLT

HEAD OFFICE:
678 Elizabeth Street,
Melbourne 3000.
Phone: 347 1526
Cable: MOTORCOLT MELBOURNE.

General technical data

Single dry-disc clutch - four driving wheels - special synchromesh gearbox, 6 forward and 3 reverse speeds - differential on both axles and locking device on front axle - articulated in center with steering with V gear in oil bath - foot brake, parking and emergency hand brakes.


TRACTOR TYPE 995

DIN 30 HP displacement 1346 cc.

SAE 34 HP

The machines and the attachments are delivered with lubricant oil.


Two cylinder 4-stroke air cooled 30 HP Diesel engine - 12 Volts electric starting and lighting system - 4 speeds at power take-off independent of tractor speed - hydraulic lift for attachments, with enclosed pump and distributor, independent of tractor speed. Length m. 2,36 - width from m. 0,84 to m. 1,04 - maximum height m. 1,08 - tread m. 1,15 - weight kg. 850.



Leaflet No. 1 of March 14, 1971

* Attachments sold directly by our reliable supplier.

Attachments for Tractors types 990 and 995



- | | |
|---|--|
| * 1 - Single furrow plough | Heavy
type |
| * 2 - Single furrow plough with chisel | |
| * 3 - Double furrow plough | |
| * 4 - Twin disk plough | |
| * 5 - Vineyard multiple furrow plough | |
| * 6 - Three-furrow plough | |
| * 7 - 90° body swivel plough | |
| * 8 - 90° body swivel plough with chisel | |
| * 9 - 180° body swivel plough | |
| * 10 - 180° body swivel plough with chisel | |
| * 11 - Furrow plough | Side
displacement
type |
| * 12 - Twin furrow plough | |
| * 13 - Cultivator | |
| * 14 - Sod breaker | |
| * 15 - Right single furrow plough | |
| * 16 - Right single furrow plough with chisel | |
| * 17 - Left single furrow plough | |
| * 18 - Left single furrow plough with chisel | |
| * 19 - Twin furrow plough | |
| * 20 - Three-furrow plough | |
| * 21 - Furrow plough | 5.00-15 tyre wheels
6.00-16 " " |
| * 22 - Twin furrow plough | |
| * 23 - Cultivator | |
| * 24 - Winch | |
| * 25 - Rotary furrower | |
| * 26 - Sprayer | |
| * 27 - Utility cart | |
| * 28 - Utility cart with drive wheels: | |
| * 29 - Rotary mower | |
| * 30 - Compressor | |
| * 31 - Thinner | 60 dia.
80 "
100 "
two-stage pump 60 "
three-stage pump 60 " |
| * 32 - Drag harrow | |
| * 33 - Side reaper | |
| * 34 - Air trimmer | |
| * 35 - Chisel rotary tiller | |
| * 36 - Dual rotary tiller, cm. 28 wide | |
| * 37 - Dual rotary tiller, cm. 38 wide | |
| * 38 - Power generator, 1500 Watt capacity | |
| * 39 - Power hammer | |
| * 40 - Air drill | |
| * 41 - Fodder mill | 20 atm, 20 litres
30 " 35 "
30 " 80 "
50 " 50 "
50 " 65 " |
| * 42 - Hydraulic shovel | |
| * 43 - Irrigation single stage pump | |
| * 44 - Irrigation single stage pump | |
| * 45 - Piston pump | |
| * 46 - Cesspool pump | |
| * 47 - Pulley | |
| * 48 - Side delivery rake | |
| * 49 - Ridge plough | |
| * 50 - Roller | |
| * 51 - Bulldozer | |
| * 52 - Beetroot cutter | |
| * 53 - Beetroot lifter | |
| * 54 - Potato lifter (heavy type) | |
| * 55 - Agitating potato lifter (heavy type) | |
| * 56 - Agitating potato lifter (light type) | |
| * 57 - Chain saw | |
| * 58 - Grain drill | |
| * 59 - Drill | |
| * 60 - Fork lift | |
| * 61 - Wood chopper | |
| * 62 - Fertilizer spreader | |
| * 63 - Rotary blade trimmer | |
| * 64 - Saw trimmer cm 40 wide | |
| * 65 - Clipper | |
| * 66 - Transplanter | |
| * 67 - Tendril chopper | |
| * 68 - Hole digger | |





TRACTOR TYPE 990

DIN 21 HP displacement 817 cc.

SAE 24 HP

The machines and the attachments are delivered with lubricant oil.

4-stroke air cooled 21 HP Diesel engine - 12 Volts electric starting and lighting system - 4 speeds at power take-off independent of tractor speed - hydraulic lift for attachments, with enclosed pump and distributor independent of tractor speed.

Length m. 2,22 - width from m. 0,84 to m. 1,04 - Maximum height m. 1,08 - tread m. 1,15 - weight kg. 760.

Accessories for Tractor type 990 and 995

For dual rotary tiller, from cm. 28 to cm. 24
from cm. 38 to cm. 34

Blade sharpener
Tilting board reaper
Flexible drive

- Draught connector
- * Adjustable draught connector for heavy ploughs
- Tractor connector for utility cart
- * Forefurrow for heavy ploughs
- * Forefurrow for side displacement plough
- Horizontal sprinkler
- Support unit
- Hole digger drills (\varnothing 160-220-400)
- Tank cart
- Tank

Counter-weights for 7.50x16 tyre wheels

Sprayer nozzle units:

Fan nozzle unit
Spray gun
Powder hopper

Utility cart lighting system
Power take-off inverter
Overdrive unit

- * Plough mould board
- Adjustable axle extensions
- Connector for bulldoze
- * Tool-bar for side displacement ploughs
- Tyre wheels 7.50x16
- Flare top extensions
- Hydraulic steering

Leaflet No. 1 of March 14, 1971

* Attachments sold directly by our reliable supplier.

TRACTOR TYPE 985

DIN 18 HP displacement 707 cc.

SAE 20 HP



The machines and the attachments are delivered with lubricant oil.

4-stroke air cooled 18 HP Diesel engine - 12 Volts electric starting and lighting system - 4 speeds at power take-off independent of tractor speed - hydraulic lift for attachments, with enclosed pump and distributor, independent of tractor speed.

Length m. 2,22 - width m. 0,80 - width variable from m. 0,80 to m. 1,04 with adjustable axle extensions (see list of accessories) - Maximum height m. 1,06 - tread m. 1,15 - weight kg. 650.

Attachments for Tractor type 985 and 945/601


- | | |
|--|------------|
| * 1 - Single furrow plough | Light type |
| * 2 - Double furrow plough | |
| * 3 - Twin disk plough | |
| * 4 - Vineyard multiple furrow plough | |
| * 5 - Three-furrow plough | |
| * 6 - 90° body swivel plough | |
| * 7 - 180° body swivel plough | |
| 8 - Embanker | |
| * 9 - Furrow plough | |
| * 10 - Twin furrow plough | |
| * 11 - Cultivator | |
| * 12 - Sod breaker | |
| * 13 - Single furrow plough | |
| * 14 - Single furrow plough with chisel | |
| * 15 - Twin furrow plough | |
| * 16 - Twin disk plough | |
| * 17 - Vineyard multiple furrow plough | |
| * 18 - Three-furrow plough | |
| * 19 - 90° body swivel plough | |
| * 20 - 90° body swivel chisel plough | |
| * 21 - 180° body swivel plough | |
| * 22 - 180° body swivel chisel plough | |
| * 23 - Furrow plough | |
| * 24 - Twin furrow plough | |
| * 25 - Cultivator | |
| * 26 - Sod breaker | |
| 27 - Winch | |
| * 28 - Rotary furrower | |
| 29 - Tank and sprayer unit | |
| 30 - Utility cart 5.00-15 tyre wheels | |
| 31 - 6.00-16 " " | |
| 32 - Utility cart with drive wheels:
for type 985/945-601 6.00-16 tyre wheels | |
| 33 - Rotary mower | |
| * 34 - Compressor | |
| 35 - Thinner | |
| * 36 - Drag harrow | |
| 37 - Side reaper | |
| * 38 - Air trimmer | |
| 39 - Rotary tiller, cm. 78 width reducible to cm. 58 | |

- | | | | | |
|--|------------------|------|----|--------|
| 40 - Dual rotary tiller, cm. 28 wide | | | | |
| 41 - Dual rotary tiller, cm. 38 wide | | | | |
| * 42 - Power generator, 1500 Watt capacity | | | | |
| * 43 - Power hammer | | | | |
| * 44 - Air drill | | | | |
| 45 - Fodder mill | | | | |
| * 46 - Hydraulic shovel | | | | |
| 47 - Irrigation single stage pump | 60 | dia. | | |
| | » | » | » | 80 |
| | » | » | » | 100 |
| | two-stage pump | 60 | » | |
| | three-stage pump | 60 | » | |
| * 48 - Piston pump | 20 | atm. | 20 | litres |
| | 30 | » | 35 | » |
| | 30 | » | 80 | » |
| | 50 | » | 50 | » |
| | 50 | » | 65 | » |
| * 49 - Cesspool pump | | | | |
| 50 - Pulley | | | | |
| * 51 - Side delivery rake | | | | |
| * 52 - Ridge plough | | | | |
| 53 - Roller | | | | |
| 54 - Bulldozer | | | | |
| 55 - Beetroot cutter | | | | |
| 56 - Beetroot lifter | | | | |
| * 57 - Potato lifter (heavy type) | | | | |
| 58 - Agitating potato lifter (heavy type) | | | | |
| 59 - Agitating potato lifter (light type) | | | | |
| 60 - Chain saw | | | | |
| 61 - Grain drill | | | | |
| 62 - Drill | | | | |
| 63 - Fork lift | | | | |
| 64 - Wood chopper | | | | |
| 65 - Fertilizer spreader | | | | |
| 66 - Rotary blade trimmer | | | | |
| 67 - Saw trimmer cm. 40 wide | | | | |
| 68 - Clipper | | | | |
| 69 - Transplanter | | | | |
| 70 - Tendril chopper | | | | |
| 71 - Hole digger | | | | |

TRACTOR TYPE 945/601

DIN 18,5 HP displacement 707 cc.

SAE 20 HP



Tractor, attachments and accessories are delivered with lubricant oil.

4-stroke air cooled 18 HP Diesel engine - 2 speeds at power-take off independent of tractor speed - hydraulic lift for attachments enclosed in the rearcarriage. The tractor can be also delivered with independent hydraulic lift for attachments with enclosed pump and distributor (see list of accessories).

Length m. 2,22 - width m. 0,80 - width variable from m. 0,80 to m. 1,04 with adjustable axle extensions (see list of accessories) - Maximum height m. 1,06 - tread m. 1,15 - weight kg. 610.

Accessories for Tractors types 985 and 945/601

For rotary tiller, from cm. 27 to cm. 40
from cm. 78 to cm. 95

For dual rotary tiller, from cm. 28 to cm. 24
from cm. 38 to cm. 34

Blade sharpener

Tilting board for side reaper

Flexible drive

Draught connector

Adjustable draught connector for light ploughs

* Adjustable draught connector for heavy ploughs

Tractor connector for utility cart

* Foreshare for light ploughs

* Foreshare for heavy ploughs

Horizontal sprinkler

Vertical sprinkler

Support unit

Hole digger drill (Ø 160-220-400)

Tank cart

Tank

Counter-weights for 6.50-16 tyre wheels
for 6.00-16 tyre wheels

* Offset connector for heavy ploughs

Sprayer nozzle units:

Fan nozzle unit

Spray gun

Powder hopper

Utility cart lighting system

Electric starting and lighting system

(for 945/601)

Independent hydraulic system (for 945/601)

Power take-off inverter

Overdrive unit

Adjustable axle extensions

Connector for bulldozer

Tyre wheels 6.50-16

6.00-16

Flare top extensions

Articulated joint

Hydraulic steering

Leaflet No. 1 of March 14, 1971

* Attachments sold directly by our reliable supplier.

Eric E. Howard & Son Pty. Ltd.
AGRICULTURAL MACHINERY DISTRIBUTORS
166-70 MURRAY ST., HOBART
TELEPHONE. 34 3926

***pasquali* tractors**

distributor